

Designed to Save.....

MSV-II Type III







Medix Specialty Vehicles, Inc.
3008 mobile Drive Elkhart, IN 46514
Ph 574-266-0911 - Fx 574-266-6669
Email - sales@medixambulance.com
www.medixambulance.com

Experience the Medix difference.

Medix MSV-II

G-4500*170"L x 96"W x 72"H

MEDIX
SPECIALTY VEHICLES, INC.



BODY

- Body- 2" x 2" x .125" w/.125" 5052-H32 Skin
- Sub-Floor- 2" x 2" x .125", 1.75" x 4" x .250"
- C-Channel w/.750" AL plate
- Floor- .060" AL barrier, .75" marine grade
- 75K PSI- Static Load Test
- FMVSS 206 Compliant w/30G Compliant
- Compartments-Smooth AL w/Herculiner Coat
- SS Front- O2 M-Cylinder Mount
- SS Middle- Open Storage
- SS Rear- Open Storage, I/O Upper
- CS Front, Upper- ALS w/IS/OS Access
- CS Front, Lower- Battery tray, roll-out
- SS Rear- Backboard/Stair Chair Storage
- Doors and Windows- tinted, fixed glass
- Trimark Free-floating, Chrome w/Anit-Slip
- Rear Bumper Frame- HD Steel tube frame powder coated black
- Rear Step- ADP rear pods w/flip-up step, rubber dock bumpers, CPI Cast Pods Optional
- Mud Flaps- Rubber rear
- Fender Flares- Roll-formed Stainless
- Running Boards- w/ADP splash guard
- Stone Guards- ADP each corner
- Rub Rails- "C" Channel w/1" Reflective strip

ENVIRONMENTAL/ELECTRICAL SYSTEMS

- Combo 36K BTU Heat, 32K BTU Cool
- 720 CFM multi-speed fan
- Exhaust Fan- 2-speed, 520 CFM
- Thermostatic Control
- Digital Volt/Amp meter
- Basic, easy maintenance relay/circuit breaker electrical system
- Electrical Cabinet- over Walk-Thru w/hinged, latching door
- Front/Rear Switch panels w/internal LED backlighting
- Wiring- GXL, point-to-point, color coded
- Front Console- Cowl-mounted, formed ABS body w/(2) cup holders
- Rear Control Panel- w/integral LED clock
- Shoreline- 125V, 20-amp, 60 Hz receptacle
- TST Commander 357 Battery Disconnect
- Battery Charger- 45-amp
- Inverter- Pre-Wired
- 125 VAC Outlets- (2)
- 12 VDC Outlets- (2)
- USB Port- Dual 2Amp outlets on A/A wall
- Radio Power /Ground- (2) w/antenna coax

EMERGENCY LIGHTS & SIREN

- LFront- Whelen 900 Series Halogen: (2) Red upper/outboard front, (1) upper center front, (2) each side upper/outboard corners, (2) Red upper/outboard rear, (1) Amber upper/center rear;
- (2) Red Halogen rear mid-body Brake/Warning Grille- (2) LINZ6 Red LEDs w/chrome bezels
- Intersection- (4) 700 Series Red Halogen w/chrome bezels, (2) Front/(2) Over rear wheel
- Scene Lights- (4) 900 Series Halogen 8°-32°
- Load Lights- (2) 900 Series Halogen 8°-32°
- Spotlight, Hand-Held- 400,000 CP in cab
- Siren- Whelen WS295SA7 200 watt w/NC Mic
- Speakers, Siren- (2) 100 watt thru front bumper

PATIENT COMPARTMENT INTERIOR

- Cabinet to Squad Bench Aisle- 50-inches
- Cab to Patient Compartment
- Walk-Thru- sliding door
- Laminated Wood Cabinetry-
- Full SS Wall cabinetry or w/CPR Seat
- Action Area and Overhead cabinet
- Color Coordinated Corian Counter Tops
- Walk-Thru and Bulkhead Storage Cabinets
- ALS Cabinet- Lower locking cabinet; Center drawer w/gas strut hold open, Middle and Upper open storage w/adjustable sheves
- Lexan Sliding doors w/extruded pull handles
- 1/2" Hinged Acrylic Doors w/Southco 2" SS push to close latches
- I/O Access to OS #3 compartment
- Squad Bench- w/EVS V-4 seat belt system and curbside overhead cabinet
- Glove Storage- Over CS Entry Door
- Sharps/Waste drop-in w/red plex lid
- Technician's Seat- EVS 1780 w/Three point lap/shoulder belt on swivel base
- Interior Lighting- (11) 4-3-4 w/15-minute check-out timer; 16" LED bar light in A/A
- Grab Handles- SS on each entry dpor panel
- Grab Rail- 72" overhead in ceiling
- Cushions, Vacu-Formed Upholstery
- Flooring- Lonseal w/3" recessed roll-up
- SS Kick panels lower main and SB face

PATIENT CARE SYSTEMS

- Suction Aspirator- SSCOR recessed in lower main
- Oxygen Outlets- (2) in Action Area, (1) over Squad Bench
- Oxygen Cylinder Brkt-Adjustable for H or M
- IV Holders- (2) CPI 2008, fold-down, recessed hangers
- Cot Mount- GSA/AMD Compliant Cot Mount

PAINT, DECALS, LETTERING

- Star-of-Life Decals- Optional
- Paint Stripe- Optional
- Lettering/Graphics Package- Optional
- (2) NO SMOKING, (2) FASTEN SEATBELTS

WARRANTIES

- Electrical- 72 months / 72,000 miles
- Limited- 12 months / 12,000 miles
- Paint- 48 months
- Body Structure- Limited Lifetime



3008 Mobile Drive / Elkhart, IN 46530 * Ph 574-266-0911 / Fax 574-266-6669

Designed to Save...

MSV-II Type III




Medix Specialty Vehicles, Inc.
3008 mobile Drive Elkhart, IN 46514
Ph 574-266-0911 - Fx 574-266-6669
Email - sales@medixambulance.com
www.medixambulance.com

Experience the Medix difference...

Medix MSV-II

E-450*170"L x 96"W x 72"H



BODY

- Body- 2" x 2" x .125" w/.125" 5052-H32 Skin
- Sub-Floor- 2" x 2" x .125", 1.75" x 4" x .250"
- C-Channel w/.750" AL plate
- Floor- .060" AL barrier, .75" marine grade
- 75K PSI- Static Load Test
- FMVSS 206 Compliant w/30G Compliant
- Compartments-Smooth AL w/Herculiner Coat
- SS Front- O2 M-Cylinder Mount
- SS Middle- Open Storage
- SS Rear- Open Storage, I/O Upper
- CS Front, Upper- ALS w/IS/OS Access
- CS Front, Lower- Battery tray, roll-out
- SS Rear- Backboard/Stair Chair Storage
- Doors and Windows- tinted, fixed glass
- Trimark Free-floating, Chrome w/Anit-Slip
- Rear Bumper Frame- HD Steel tube frame
- powder coated black
- Rear Step- ADP rear pods w/flip-up step,
- rubber dock bumpers, CPI Cast Pods Optional
- Mud Flaps- Rubber rear
- Fender Flares- Roll-formed Stainless
- Running Boards- w/ADP splash guard
- Stone Guards- ADP each corner
- Rub Rails- "C" Channel w/1" Reflective strip

ENVIRONMENTAL/ELECTRICAL SYSTEMS

- Combo 36K BTU Heat, 32K BTU Cool
- 720 CFM multi-speed fan
- Exhaust Fan- 2-speed, 520 CFM
- Thermostatic Control
- Digital Volt/Amp meter
- Basic, easy maintenance relay/circuit breaker
- electrical system
- Electrical Cabinet- over Walk-Thru w/hinged,
- latching door
- Front/Rear Switch panels w/internal LED
- backlighting
- Wiring- GXL, point-to-point, color coded
- Front Console- Cowl-mounted, formed ABS
- Rear Control Panel- w/integral LED clock
- Shoreline- 125V, 20-amp, 60 Hz Receptacle
- TST Commander 357 Battery Disconnect
- Battery Charger- 45-amp
- Inverter- Pre-Wired
- 125 VAC Outlets- (2)
- 12 VDC Outlets- (2)
- USB Port- Dual 2Amp outlets on A/A wall
- Radio Power /Ground- (2) w/antenna coax

EMERGENCY LIGHTS & SIREN

- Exterior Body Lights-(2) 900 Series Red Halo-
- gen upper outboard front, (1) 900 Series Clear
- Halogen Center front, (2) 900 Series Red each
- side upper outboard corners, (2) 900 Series
- upper rear corners; (1) 900 Series Amber Halo-
- gen center rear; (2) 900 Series Red Halogen
- rear mid-body as Brake / Warning
- Grille- (2) LINZ6R Red LEDs w/chrome bezels
- Intersection- (4) 700 Red Halogen w/chrome
- bezels, (2) Front/(2) Over rear wheel wells
- Scene Lights- (4) 900 Series Halogen 8°-32° (2)
- each side, Load Lights- (2) 900 Series Halogen
- 8°-32° over rear doors
- Spotlight, Hand-Held- 400,000 CP in cab
- Siren- Whelen 200 watt w/NC MIC front console
- Speakers, Siren- (2) 100 watt thru front bumper

PATIENT COMPARTMENT INTERIOR

- Cabinet to Squad Bench Aisle- 50-inches
- Cab to Patient Compartment Walk-Thru
- Laminated Wood Cabinetry
- Full SS Wall cabinets or CPR Seat
- Action Area and Overhead Cabinet
- Color Coordinated Corian Counter Tops
- Walk-Thru and Bulkhead Storage Cabinets
- ALS Cabinet- Lower locking cabinet; Middle
- drawer w/gas strut hold open, Mid and Upper
- storage w/adjustable shelves and 1/2" Acrylic
- doors w/2" Southco SS push to close latches
- Lexan Sliding doors w/extruded pull handles
- I/O Access to OS #3
- Squad Bench- w/EVS V-4 Seat Belt System and
- Overhead Storage
- Glove Storage- Over CS Entry Door
- Sharps/Waste drop-in w/red Acrylic lid
- EVS 1780 Tech seat on Swivel Base
- Interior Lighting- (11) 4-3-4 w/15-minute
- check-out timer; 16" LED bar light in A/A
- Grab Handles- SS on each entry dpor panel
- Grab Rail- 72"x1.25" Brushed SS
- Cushions, Vacu-Formed Upholstery
- Flooring- Lonseal w/3" recessed roll-up
- SS Kick panels lower main and SB face

PATIENT CARE SYSTEMS

- Suction Aspirator- SSCOR recessed in lower
- main
- Oxygen Outlets- (2) in Action Area, (1) over
- Squad Bench
- Oxygen Cylinder Brt-Adjustable for H or M
- IV Holders- (2) CPI 2008, fold-down, re-
- cessed hangers
- Cot Mount- GSA/AMD compliant cot mount
- hardware

PAINT, DECALS, LETTERING

- Star-of-Life Decals- Optional
- Paint Stripe- Optional
- Lettering/Graphics Package- Optional
- (2) NO SMOKING, (2) FASTEN SEATBELTS

WARRANTIES

- Electrical- 72 months / 72,000 miles
- Limited- 12 months / 12,000 miles
- Paint- 48 months
- Body Structure- Limited Lifetime

